

PATENT COOPERATION TREATY

PCT

NOTIFICATION OF THE RECORDING
OF A CHANGE(PCT Rule 92bis.1 and
Administrative Instructions, Section 422)

From the INTERNATIONAL BUREAU

To:

LEE, Sang-Moon
Rm401, Hwawon B/D
746-1, Yeoksam-dong, Kangnam-gu
135-925 Seoul
RÉPUBLIQUE DE CORÉE

Date of mailing (day/month/year) 04 February 2002 (04.02.02)	IMPORTANT NOTIFICATION
Applicant's or agent's file reference 00OP134p	
International application No. PCT/KR00/00752	International filing date (day/month/year) 12 July 2000 (12.07.00)

1. The following indications appeared on record concerning:		
<input type="checkbox"/> the applicant	<input type="checkbox"/> the inventor	<input checked="" type="checkbox"/> the agent
<input type="checkbox"/> the common representative		
Name and Address SUH, Jong, Wan New Seoul Building, 7th Floor 828-8, Yeoksam-dong Kangnam-ku Seoul 135-080 Republic of Korea	State of Nationality	State of Residence
	Telephone No. 82+2-539-1970	
	Facsimile No. 82+2-539-1970	
	Teleprinter No.	
2. The International Bureau hereby notifies the applicant that the following change has been recorded concerning:		
<input checked="" type="checkbox"/> the person	<input type="checkbox"/> the name	<input type="checkbox"/> the address
<input type="checkbox"/> the nationality		
<input type="checkbox"/> the residence		
Name and Address LEE, Sang-Moon PARK, Cheon-Doh Rm401, Hwawon B/D 746-1, Yeoksam-dong, Kangnam-gu 135-925 Seoul Republic of Korea	State of Nationality	State of Residence
	Telephone No. 82-2-562-2902	
	Facsimile No. 82-2-562-2958	
	Teleprinter No.	
3. Further observations, if necessary:		
4. A copy of this notification has been sent to:		
<input checked="" type="checkbox"/> the receiving Office	<input type="checkbox"/> the designated Offices concerned	
<input type="checkbox"/> the International Searching Authority	<input checked="" type="checkbox"/> the elected Offices concerned	
<input type="checkbox"/> the International Preliminary Examining Authority	<input checked="" type="checkbox"/> other: SUH, Jong, Wan	

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorized officer Sean Taylor
Facsimile No.: (41-22) 740.14.35	Telephone No.: (41-22) 338.83.38

THIS PAGE BLANK (USPTO)

PATENT COOPERATION TREATY

PCT

NOTIFICATION OF ELECTION

(PCT Rule 61.2)

From the INTERNATIONAL BUREAU

To:

Commissioner
 US Department of Commerce
 United States Patent and Trademark
 Office, PCT
 2011 South Clark Place Room
 CP2/5C24
 Arlington, VA 22202
 ETATS-UNIS D'AMERIQUE
 in its capacity as elected Office

Date of mailing (day/month/year) 20 March 2001 (20.03.01)	
International application No. PCT/KR00/00752	Applicant's or agent's file reference 00OP134p
International filing date (day/month/year) 12 July 2000 (12.07.00)	Priority date (day/month/year) 13 July 1999 (13.07.99)
Applicant AHN, Deuk, Hun et al	

1. The designated Office is hereby notified of its election made:

☒ in the demand filed with the International Preliminary Examining Authority on:
 09 February 2001 (09.02.01)

☐ in a notice effecting later election filed with the International Bureau on:

2. The election ☒ was
☐ was not

made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Facsimile No.: (41-22) 740.14.35	Authorized officer Juan Cruz Telephone No.: (41-22) 338.83.38
---	---

THIS PAGE BLANK (USPTO)

INTERNATIONAL SEARCH REPORT

International application No.
PCT/KR00/00752

A. CLASSIFICATION OF SUBJECT MATTER**IPC7 A61L 15/44**

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7 A47K 10/16, A61F 13/15, A61L 15/10

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

KR 97-32901 A (LG CHEMICAL LTD) 22 JULY 1997

KR 98-76051 A (MIN. KWANG-YUL) 16 NOVEMBER 1998, KR 98-82895 A (LG CHEMICAL LTD) 05 DECEMBER 1998

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X Y	KR 98-82895 A (LG CHEMICAL LTD) 05 DECEMBER 1998 see claim 1	1
Y	KR 97-32901 A (LG CHEMICAL LTD) 22 JULY 1997 see claim 1	1-9
Y	KR 98-76051 A (MIN. KWANG-YUL) 16 NOVEMBER 1998 see abstract	1-9

☐ Further documents are listed in the continuation of Box C.☐ See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

24 OCTOBER 2000 (24.10.2000)

Date of mailing of the international search report

25 OCTOBER 2000 (25.10.2000)

Name and mailing address of the ISA/KR

Korean Industrial Property Office
Government Complex-Taejon, Dunsan-dong, So-ku, Taejon
Metropolitan City 302-701, Republic of Korea

Facsimile No. 82-42-472-7140

Authorized officer

KIM, Seung Soo

Telephone No. 82-42-481-5581



THIS PAGE BLANK (USP15)

HERB MEDICINE COMPOSITION TO BE CONTAINED IN SANITARY MATERIALS FOR INFANTS

5 **Technical Field**

The present invention relates to an herb medicine composition to be contained in sanitary materials, which contains herb medicine extracts to prevent diaper rash and to relieve various skin diseases due to feces and urine in infants. In particular, the composition of the present invention can be applied to diaper and wet tissue among
10 sanitary materials for infants.

Background Art

Most diaper rash occurs due to buttocks region contaminated by feces and urine. Diaper rash occurs around annus because of ammonia released from urine by the action
15 of urea degradation bacteria from feces or because of irritation by feces, and it is characterized by rubefaction, blister and superficial ulcer. In particular, in case of female infants, since they are weak in immunity compared to adults, and moreover, vulva is structurally closer to annus, it is likely to result in vulvar infection.

In case of paper diaper used widely currently, exterior vinyl cover does not
20 allow leakage of moisture, and this is the same as window-blocked bathroom, thereby leading to fungal and bacterial multiplication. In particular, infants have to use diaper for a certain amount of period, and due to weak skin, despite of parents' continuous observation, rash should be repeated. Thus, whenever rash occurs, inconvenience of applying cream, ointment and spread of powder cannot be avoided.

Further, even in case of wet tissue for infants that have been widely used up to the present, as its main component is water, there has no special action other than cleaning.

The inventors of the present invention have conducted studies to prepare
5 sanitary materials which have cleaning function while relieving itch due to various skin diseases and also diaper rash due to waste of infants. As the result, the inventors discovered that when herb medicine extract is spread on skin-contacting pad of diaper or is formulated into wet tissue, the herb medicine contained brings an effect of relieving skin irritation at the time of urination and bowel movement while cleaning the
10 skin, and based on this, completed the present invention.

The object of the present invention is to provide a composition for sanitary materials, which protects skin of infants at the time of evacuation, by using herb medicine component effective for prevention and treatment of diaper rash.

15 **Disclosure of the Invention**

The present invention relates to an herb medicine composition for infant sanitary materials, which contains *Sophorae flavescens*.

Specifically, the present invention is directed to an herb medicine composition to be applied to sanitary materials to prevent and treat diaper rash and sore, and relates
20 to an herb medicine composition to be contained in sanitary materials, which contains *Sophorae flavescens* as main component having effects of removing dampness and itch as well as having antibiotic and antiphlogistic activity.

Although the composition of the present invention can sufficiently accomplish its object by using *Sophorae flavescens* alone, it is more preferable to further contain

one or more herb medicine selected from a group consisting of Phellodendri Cortex, Artemisia Folia, Dictamnus albus and alum, and the content of each component based on total dried weight of herb medicine composition is 20-98% by weight of Sophorae flavescens, 2-50% by weight for Phellodendri Cortex, 2-30% by weight for Artemisia Folia, 1-35% by weight for Dictamnus albus, and 10-40% by weight for alum. It is more preferable to contain Sophorae flavescens, Phellodendri Cortex, Artemisia Folia, Dictamnus albus and alum are all. Particularly preferred content based on total dried weight of the composition is 25-45% by weight, 10-25% by weight, 5-20% by weight, 3-10% by weight and 15-30% by weight, respectively.

The composition ratio of herb medicine enumerated above was obtained based on clinical test and animal test on herb medicine which is useful for infants diaper rash. If the ratios are higher than upper limit or lower than lower limit, it causes a problem of decrease in appearance of pad and its absorbency, in case of diaper, as well as the efficacy required in the present invention.

According to the description in the Korean Pharmacopoeia and the conventional oriental medicine references, Sophorae flavescens is mainly used for external use due to its bitter taste, and used clinically as cataplasm or detergent in treatment of skin disease with serious itch and eczema, skin pyosis and vulvar pruritis due to anti-trichomonas activity.

Phellodendri Cortex exhibits germicidal activity against E. coli, typhus and cholera bacilli, and also has antibiotic activity against Gram-positive, Gram-negative and gonococcus. Berberin among the ingredients of Phellodendri Cortex has a strong local astringency and thus it is externally used for pruritic skin diseases, removing heat toxicity of wound region.

Artemisia Folia is used in the treatment of women's diseases such as menstrual irregularity and hysterrhea, and active against gonococcus etc. and externally used in treating eczema and skin pruritis.

Dictamnus alpus has effect of eliminating heat, poisoning and dampness, thus
5 used in treatment of skin eczema, pruritis via wound cleaning and powder spread.

Alum has a strong astringent activity and an effect of removing dampness and itch, thus gives freshness to infected region by removing discomfort and bad smell, thus mainly used for external use as an astringent for skin mucous membrane infection or as gargles for the purpose of local astringency.

10 Herb medicines enumerated above, that is, Galla Rhois, Sophorae flavescens, Phellodendri Cortex, Artemisia Folia, Dictamnus alpus and alum all exhibit antibiotic and anti-itch effect while being harmless to human, thus are clinically used frequently. In particular, they contain strong astringent ingredient that rapidly dries local infection region, and when spread to rash, they give freshness due to their unique cold property;
15 further their drying effect allows infant skin to be kept dry. Therefore, when infants having rash uses sanitary material of the present invention, particularly, diaper, evaporation of drug substance with urine causes evaporation of heat from the skin, leading to cooling of local rash region, and contraction of blood vessel results in decline of inflammation and cool freshness at the rash region.

20 For a composition to be contained in sanitary materials, Sophorae flavescens, Phellodendri Cortex, Artemisia Folia, Dictamnus alpus and alum can be formulated, respectively, into a type selected from powder, extracts and infusion. For example, effective component of said herb medicines can be extracted with water and can be used by mixing with alum extracts.

The composition of the present invention can be formulated into powders, solutions, suspensions or gels with a pharmaceutically accepted carrier depending on physicochemical properties of the active substance. Further, the composition of the present invention can contain other additives. Liquid formulation is particularly preferred for the composition of the present invention in view of the utility, but if
5 necessary, other formulation such as powders, spray, gels etc. can be applied.

Herb medicine composition of the present invention can be applied to diaper and wet tissue among sanitary material for infants.

In case of diaper adopting said composition, the composition can be applied to
10 whole absorbent matrix or diaper surface only. In case of applying to whole absorbent matrix, there is a disadvantage that absorbency of matrix itself is decreased, thus it is more preferable to spread the composition of the present invention only on the surface where excrement should pass when absorbed into matrix. As a single example, primary pad made of cotton cloth or paper sheet on which the composition of the
15 present invention was sufficiently spread, can be put on conventional diaper and used. In case of preparing the primary pad, for example, it is preferred to spread about 0.05-2g, as dried weight of extracts, of composition of the present invention on a cotton cloth of 25cm x 10cm, more preferably, 0.1-1g.

As another method of applying the composition of the present invention, the
20 composition can be formulated into powder and spread on overall diaper to allow active substance mixed with excrement to react on skin side without affecting the absorbency of matrix itself.

Further, the composition of the present invention can be mixed with natural pulp and prepared into matrix or surface sheet.

The composition of the present invention can be applied according to any method by which active substance melted into excrement can function at the skin, as long as it does not reduce absorbency of matrix.

5 In addition, diaper adopting the composition can further include absorption-stimulating supplementary pad. The absorption-stimulating supplementary pad contains Discorea Rhizoma, and it leads to faster absorption of excrement into diaper and to keep skin dry, thereby increasing the effect of the present invention. Discorea Rhizoma is obtained by drying rootstock of Dioscorea japonica, and as it contains starch, it is useful as a tonic in treatment of diarrhea and hysterrhea.

10 The present invention adopts cataplasm therapy among general therapies for local rash, thereby naturally protecting infant skin at the time of evacuation by drug substance spread on diaper itself. Even though urine might contact with skin, the spread drug substance keeps the skin smooth, prevents rash, and it exhibits its efficacy upon urination. Further, until the drug is completely diluted by repeated urination, the
15 efficacy of the pad of the present invention lasts. In case of infants suffering from rash, the diaper adopting the composition of the present invention is moistened by spray of small amount of water, and then applied to the rash, thereby allowing cataplasm. In this case, infants would feel freshness due to drug effect rather than discomfort due to wet diaper.

20 Additionally, the composition of the present invention is harmless to human due to use of natural drug substance, and has no negative effects despite of its long-term use. Therefore, herb medicine composition of the present invention can accomplish the intended effect by applying to whenever diaper is used.

In addition, in case of wet tissue adopting said herb medicine composition, the

composition should be in a state of aqueous solution of herb medicine extracts to apply to wet tissue, and the concentration is preferably 3-25% as dried weight of extract, and more preferably 4-15%.

The herb medicine composition of the present invention can be applied in any way to protect skin from diaper rash while not reducing function of wet tissue.

Brief Description of Drawings

Fig.1 is a cross sectional view of Examples 14 to 17 as an example for diaper adopting the composition of the present invention. Herein, a and c are polypropylene membrane, b is primary pad in Example 6, d is absorbent matrix and e is vinyl cover.

Fig. 2 shows a cross sectional view of Examples 23 to 26 as example for diaper adopting the composition of the present invention. Herein, a and c are polypropylene membrane, b is primary pad in Example 6, d is absorbent matrix and e is supplementary pad containing Discorea Rhizoma powder and f is vinyl cover.

Examples

The present invention is more specifically explained by the following Examples and Experimental Examples, however, is not limited thereto, further it is not intended to limit the scope of the present invention.

Example 1. Infants diaper containing herb medicine composition

Example 1.1 Preparation of composition to be spread on diaper

800g of Sophorae flavescens was washed with distilled water, put into a 5000 ml round flask, mixed with 2000 ml of distilled water, attached to condenser, and

extracted by heating for 2 hours. Extracts was filtered with filter cloth and the filtrate was subjected to vacuum concentration to obtain viscous extract 1000 ml.

Example 1.2 Preparation of composition to be spread on diaper

5 500 g of Sophorae flavescens and 300 g of Phellodendri Cortex were washed with distilled water, and obtained extract 1000 ml according to the method as described in Example 1.1.

Example 1.3 Preparation of composition to be spread on diaper

10 400 g of Sophorae flavescens, 200 g of Phellodendri Cortex and 200 g of Dictamnus alpus were washed with distilled water, and obtained extract 1000 ml according to the method as described in Example 1.1.

Example 1.4 Preparation of composition to be spread on diaper

15 A) 300 g of Sophorae flavescens, 150 g of Phellodendri Cortex, 100 g of Artemisia Folia, 50 g of Dictamnus alpus and 100 g of alum were washed with distilled water, put into a 5000 ml round flask, mixed with 2000 ml of distilled water, attached to condenser, and extracted by heating for 2 hours. Extracts was filtered with filter cloth and the filtrate was subjected to vacuum concentration to obtain viscous extract 500 ml.

20 B) 100 g of alum was pulverized, precipitated in purified water 500 ml at 70-80°C for 1 hour, filtered and mixed with the viscous extract obtained in A) by a ratio of 1:1 to prepare crude solution.

Example 1.5 Preparation of composition to be spread on diaper

30 kg of Sophorae flavescens, 15 kg of Phellodendri Cortex, 15 kg of Artemisia Folia, 10 kg of Dictamnus albus were washed with distilled water, put into a dual tank-container with 1200 L of distilled water, heated to 95-100°C for 8 hours and so obtained
5 extract was filtered. The filtrate was moved to storage bath of the dual tank, passed through secondary filter, subjected to vacuum concentration at 60°C to obtain extract of 160 L.

Example 1.6 Preparation of primary pad

10 150 g of natural pulp and 150 ml of the composition prepared in said Example 1.1 were mixed and precipitated for 1 hour without addition of other chemicals to form paper pad of 25cm x 10cm by using sheet machine. This was dried to prepare 60 primary pads.

15 Examples 1.7-1.9 Preparation of primary pads

Except using the composition prepared in Examples 1.2-1.4, respectively, instead of the composition prepared in said Example 1.1, primary pads were prepared respectively according to the same method with Example 1.6.

20 Example 1.10 Preparation of primary pad

Clean cotton cloth of 25cm x 10cm was soaked in the composition prepared in said Example 1.1 to allow uniform spread of composition 0.45g per cotton cloth. This was dried to prepare primary pad.

Examples 1.11-1.13 Preparation of primary pads

Except using the composition prepared in Examples 1.2-1.4, respectively, instead of the composition prepared in said Example 1.1, primary pads were prepared respectively according to the same method with Example 1.10.

5

Example 1.14 Preparation of sample pads

The paper primary pad prepared in said example 1.6 was put between the two layers of polypropylene used for preparation of diaper and subjected to heat treatment. This was put on conventional diaper to make shape as shown in Fig.1.

10

Examples 1.15-1.17 Preparation of sample pads

Except using the paper primary pad prepared in Examples 1.7-1.9 respectively, instead of the paper primary pad prepared in said Example 1.6, according to the same method with Example 1.14, sample pads were prepared, respectively.

15

Example 1.18 Preparation of sample pads

The cotton cloth primary pad prepared in said example 1.10 was put between the two layers of 100% polypropylene used for preparation of diaper and subjected to heat treatment. This was put on conventional diaper to make shape as shown in Fig.1.

20

Examples 1.19-1.21 Preparation of sample pads

Except using the cotton cloth primary pad prepared in Examples 1.11-1.13, respectively, instead of the cotton cloth primary pad prepared in said Example 1.10, according to the same method with Example 1.18, sample pads were prepared,

respectively.

Example 1.22 Preparation of supplementary pad for absorption stimulation

Discorea Rhizoma was washed, dried and pulverized. 100 g of Discorea
5 Rhizoma powder was added to 36 g of natural pulp, precipitated for 30 minutes without
addition of other chemicals to prepare five supplementary pads of 25 cm x 10 cm.

Example 1.23 Preparation of sample pads

The paper primary pad prepared in said example 1.6 was put between the two
10 layers of 100% polypropylene used for preparation of diaper and subjected to heat
treatment. This was put on conventional diaper, and supplementary pad prepared in
Example 1.22 was located inside vinyl cover to make shape as shown in Fig.2.

Examples 1.24-1.26 Preparation of sample pads

15 Except using the paper primary pad prepared in Examples 1.7-1.9 respectively,
instead of the paper primary pad prepared in said Example 1.6, according to the same
method with Example 1.23, sample pads were prepared, respectively.

Example 1.27 Preparation of sample pads

20 The cotton cloth primary pad prepared in said Example 1.10 was put between
the two layers of 100% polypropylene used for preparation of diaper and subjected to
heat treatment. This was put on conventional diaper, and supplementary pad prepared
in Example 1.22 was located inside vinyl cover to make shape as shown in Fig.2.

Examples 1.28-1.30 Preparation of sample pads

Except using the cotton cloth primary pad prepared in Examples 1.11-1.13, respectively, instead of the cotton cloth primary pad prepared in said Example 1.10, according to the same method with Example 1.27, sample pads were prepared,
5 respectively.

Example 1.31 Preparation of diaper

The composition prepared in said Example 1.5 was spread on non-woven cloth used for infants diaper (width 12cm, length 2000m) to allow uniform spread, i.e. about
10 1.5 g as dried weight per pad of 45cm x 12cm. By using the non-woven cloth spread, pulp for pulverization and absorbent structure together, diaper of 45x12 cm was prepared at a diaper factory.

Example 2. Infants wet tissue containing herb medicine composition**15 Example 2.1 Preparation of composition for infants wet tissue**

800 g of Sophorae flavescens was washed with distilled water, put into a 5000 ml round flask, mixed with 2000 ml of distilled water, attached to condenser, and extracted by heating for 2 hours. Extracts was filtered with filter cloth and the filtrate was subjected to vacuum concentration to obtain viscous extract 1000ml (dried weight
20 13.3g/100ml). The extract was diluted with purified water to 1:5 ratio to prepare the composition,

Example 2.2 Preparation of herb medicine composition for infants wet tissue

500 g of Sophorae flavescens, 300 g of Phellodendri Cortex were washed with

distilled water, and prepared composition according to the method as described in Example 2.1.

Example 2.3 Preparation of herb medicine composition for infants wet tissue

5 400 g of Sophorae flavescens, 200 g of Phellodendri Cortex and 200 g of Dictamnus alpus were washed with distilled water and prepared composition according to the method as described in Example 2.1.

Example 2.4 Preparation of herb medicine composition for infants wet tissue

10 300 g of Sophorae flavescens, 150 g of Phellodendri Cortex, 50 g of Dictamnus alpus and 100 g of alum were washed with distilled water, put into a 5000 ml round flask, mixed with 2000 ml of distilled water, attached to condenser, and extracted by heating for 2 hours. Extracts was filtered with filter cloth and the filtrate was subjected to vacuum concentration to obtain viscous extract 1000 ml (7.5 g/ml based on
15 dried weight). This extract was diluted with distilled water by a ratio of 1:7 to prepare composition.

Example 2.5 Preparation of herb medicine composition for infants wet tissue

 30 kg of Sophorae flavescens, 15 kg of Phellodendri Cortex, 10 kg of
20 Dictamnus alpus, 15 kg of Artemisia Folia were washed with distilled water, put into a dual tank-container with 1200 L of distilled water, heated to 95-100°C for 8 hours and so obtained extract was passed through primary filter. The filtrate was moved to storage bath of the dual tank, passed through secondary filter, subjected to vacuum concentration at 60°C to obtain extract of 160 L (5.47 g/ml based on dried weight).

The extract was diluted with distilled water by a ratio of 1:7 to prepare composition for infants wet tissue.

Examples 2.6-2.10 Preparation of infants wet tissue

5 Spun lace non-woven cloth of 15cm x 20cm was soaked in the composition prepared in said Examples 2.1-2.5, respectively, to allow uniform spread of 0.2 g as dried weight per tissue.

Experimental example 1. Infants diaper containing herb medicine
10 **composition**

Experimental example 1.1 Confirmation experiment I for toxicity and negative effects

15 The composition prepared in said Example 1.4 was spread five times, each time, 3 ml, every 20 minutes on vaginal orifice and surface of genital organ of four mature male and female rabbits and hourly observation was conducted for genital organ. Furthermore, 6 ml of the composition was spread for continuous 5 days and observation was conducted.

20 As the result, no deterioration in the surface of genital organ or histological change was observed except contraction of vaginal orifice due to spread of the composition.

Experimental Example 1.2 Confirmation experiment II for toxicity and negative effects

 The primary pads prepared in said Example 1.13 was tested on a 18 month old

female infant among the families of the inventors of the present invention by applying the sample pads prepared in Examples 1.17 and 1.21 to conventional cloth and paper diaper, in order, and reaction at the skin contact was observed.

As the result, no change in skin tissue or local side effect due to the use of pad
5 adopting the composition of the present invention was confirmed.

Experimental Example 1.3 Efficacy experiment on prevention of diaper rash

Using each sample pads prepared in said Examples 1.17 and 1.21, the
10 experiment was performed. Because of the difference in the state of evacuation of
individuals, relative comparison of the efficacy with conventional diaper is meaningless,
thus infants who had ever experienced rash were selected and reaction after the use of
the pad was observed. Test subject was composed of a total of 16 infants, 8 male and
8 female, whose parents agreed to the present efficacy experiment. They were in age
15 of less than 24 months, use diaper all through the day, and experienced 1-14 times of
rash in a month. However, there was no particular organic physical disorder except
rash.

Guardians were made to continue protection and observation as usual, and the
function of the pad was explained so that in case of urination only, the pad could be
20 repeatedly used for 2 or 3 times. Supposing that each infant consumes average 4 pads
daily, and a total of 960 pads were divided among 16 guardians, that is, 60 pads enough
for 15 days last to each subject, and the result was made to be reported after 15 days.

All 16 infants attended the experiment reported the result after 15 days and the
result is as shown in Table. Case when serious rash occurs even one time was

determined as “no effect”, and the case when rash incidence was decreased to at least 50% compared to the past was determined as “improvement”.

Table 1 Result of efficacy experiment for Examples 1.17 and 1.21

5

Sample pad	Number of subject	Suppression efficacy for diaper rash			Total application time (h)
		No effect	Improved	No rash	
Ex. 1.17	1(female)	-	-	1	360
Ex. 1.21	8 (male)	-	1	7	2880
	7(female)	-	-	7	2520
Total	16	-	1	15	5760

As can be seen from the above table, among 15 infants wearing the sample pad of Example 1.21, a 16 month-old male infant with rash history of average 4 times in a month experienced slight rash one time, and the rest 14 subject (93.3%) did not experience rash. Further, a female infant with rash history of average 14 times in a month was liable to serious rash due to bad diarrhea, but rash did not occur by the use of the sample pad according to the present invention, thereby confirming preventive effect against rash. In addition, even when the pad was dried and used again after receiving urine 2-3 times, skin of subject remained dry due to remaining drug substance. Further, no negative effect due to application of sample pad of the present invention was observed.

Experimental example 1.4 Efficacy experiment for prevention of diaper rash

Efficacy experiment was conducted for each sample pad prepared in Examples 1.18 and 1.19 by the same method as in Experimental Example 1.3. The result is as shown in Tables 2 and 3.

5

Table 2. Test Result for Example 1.18

Sample pad	Number of subject	Efficacy against diaper rash			Total application time (h)
		No effect	Improved	No rash	
Ex. 1.18	8 (male)	-	3	5	2880
	10 (female)	-	4	6	3600
Total	18	-	7	11	6840

Table 3. Test Result for Example 1.19

10

Sample pad	Number of subject	Efficacy against diaper rash			Total application time (h)
		No effect	Improved	No rash	
Ex. 1.19	9 (male)	-	3	6	3240
	10 (female)	-	2	8	3600
Total	19	-	5	14	6840

As shown in above Table, rash did not occur in 11 infants (61.1%) among 18

subject wearing sample pad of Example 1.18, and the rest 7 infants (38.9%) showed improvement. Further, even in the result for Example 1.19, rash did not occur in 14 of 19 subject (73.7%), and 5 subject (26.3%) showed improvement. Considering that a part of the infants attended the experiment for Examples 1.18 and 1.19 were suffering from rash, it was confirmed that wearing of the pad of the present invention exhibited preventive effect against rash. Additionally, no skin negative effect was reported due to wearing of the pad of the present invention, but in case of infants wearing the pad of the present invention, which was attached on conventional cloth diaper, it was reported that the cloth diaper was smeared with drug substance.

Experimental Example 1.5

Experiment for local cooling effect

The inventors of the present invention intentionally cause rash at left forearm. The primary pad prepared in Example 1.21 was moistened with 5 ml of water and attached to rash region. Before the attachment, and 30 minutes and 1 hour after the attachment, skin temperature was measured by infrared body heat examination, and the temperature was compared.

The result is as given in Table 4. It was confirmed that temperature declined from 25.77°C before wearing the pad to 23.72°C, 30minutes after the attachment of pad and 23.78°C, 1 hour after the attachment, that is, about 2°C decline was confirmed.

Table 4

Temperature Measurement Time	Temp. (°C)	Difference from the Temperature before the attachment (°C)
---------------------------------	---------------	---

Before attachment	25.77	-
30 min. after attachment	23.72	-2.05
1 hr. after attachment	23.78	-1.99

The primary pad prepared in Example 1.21 was moistened with 10 ml of urine and attached to left knee joint. Temperature was measured before, 30 minutes after attachment and 30 minutes after removal.

- 5 The result is given in Table 5. It was confirmed that normal temperature before the attachment was 24.62°C, decreased to 22.65°C after attachment, i.e. 1.97°C decrease, and 0.76°C was again increased 30 minutes after complete removal.

10

Table 5

Temperature Measurement Time	Temp. (°C)	Difference from the Temperature before the attachment (°C)
Before attachment	24.62	-
30 min. after attachment	22.65	- 1.97
30 min. after attachment	23.41	+0.76

15

The experimental result given above demonstrates that the composition of the present invention spread on primary pad causes skin cooling and blood vessel

contraction when evaporating with moisture from urine. Assuming that significant body heat change is about 0.5°C, the local cooling effect of the pad is inferred as important mechanism for rash treatment.

5 **Experimental Example 1.6 Absorbency experiment for supplementary pad**

To confirm absorption stimulation effect of the supplementary pad, comparative experiment was conducted as follows.

Supplementary pad for absorption experiment was prepared. Discorea
10 Rhizoma was washed, dried and pulverized. To 36 g of natural pulp, losin size (alkyl ketone dimmer 20%) to protect water infiltration was added to 0.43% based on weight of natural pulp, Discorea Rhizoma 100 g was added and precipitated for 30 minutes without addition of other chemicals to prepare 5 supplementary pads of 25cm x 10cm for absorbency test.

15 Further, as control, supplementary pad was prepared by excluding Diacorea Rhizoma. That is, 0.43% (based on weight of natural pulp) of losin size was added to 36 g of natural pulp, mixed and precipitated for 30 minutes without addition of other chemicals to prepare 5 control supplementary pads of 25cm x 10cm.

20 50 ml of 2% Rhodan ammonium solution was added, and supplementary pads for absorption test and control prepared as above were cut into pieces of 2.5cm x 2.5cm. This was folded into paper ship and floated on 50ml of 2% Rhodan ammonium solution filled in 12cm-diameter petri dish. 0.1 ml of 1% ferrous chloride solution was dropped and determined the time point when 3 or more red spots appeared. The experimental method described above is known in paper manufacturing industry as absorbency test

method.

As the result, despite that the supplementary pad containing Discorea Rhizoma powder included losin size to protect water infiltration, 3 or more red spots appeared within 3 seconds, confirming rapid absorption of Rhodan solution, in contrast, 5 supplementary pad without Discorea Rhizoma powder (control) needed 45 seconds, revealing superior absorbency of supplementary pad containing Discorea Rhizoma powder.

Experimental Example 1.7 General consumer test for diaper rash prevention effect

50 infants among infants living in Seoul, Chungju and Daegu, Korea were randomly selected, let to wear diaper adopting the composition of the present and the efficacy was tested. As the diaper adopting the composition of the present invention, infant diaper of Example 1.18 adopting the composition of Example 5 was used.

15 Excepting 10% infants without rash experience, most of 90% subject admitted the rash prevention effect as superior (60% of the subject) or significant (25% of the subject). Further, as result of wearing diaper adopting the composition of the present invention, it was confirmed that dampness hardly occurred at the skin contact and skin was kept dry compared to conventional diaper, and no subject reported occurrence of 20 negative effect at the skin contact.

Experimental Example 2. Infants wet tissue containing herb medicine composition

Experimental Example 2.1 Confirmation experiment for toxicity and negative effect

The composition prepared in said Example 2.4 was spread five times, each time, 3 ml, every 20 minutes on vaginal orifice and surface of genital organ of four mature male and female rabbits and hourly observation was conducted for 6 hours. Further, 6 ml of the composition was spread for continuous 5 days and observation was conducted.

5 As the result, neither deterioration in the surface of genital organ nor histological change was observed except contraction of vaginal orifice due to spread of the composition.

Experimental Example 2.2 Confirmation experiment for toxicity and negative 10 effect

Tissue prepared in Application examples 2.1-2.5 was applied to 4 male and female infants younger than 24 months including families of the inventors of the present invention and reaction at skin contact was observed. As the result, no change in skin tissue or local side effect due to the use of the tissue adopting the composition of the
15 present invention was observed.

Experimental Example 2.3 Efficacy experiment for infant wet tissue

Spun lace non-woven cloth tissue prepared in Examples 2.6 and 2.10 were tested with infants for efficacy.

20 5 male and 7 female infants younger than 24 months who currently wear diaper were selected, and a total of 60 tissues, that is, 30 wet tissues prepared in Example 2.6 and 30 tissues prepared in Example 2.10, was given to each guardian and let them report the result after the use.

As result of efficacy experiment, it was confirmed that wet tissue of the present

invention exhibits cleaning function, causes no slippery tackiness, allows skin to be dry contrary to conventional wet tissue, thereby suppressing the use of powder spread and ointments.

Sanitary materials, particularly diaper and wet tissue, adopting the herb
5 medicine composition of the present invention which was prepared by using herb
medicine with special efficacy among harmless natural drug substances, as described
above, provides effect of preventing and even treating diaper rash besides the original
utility, thus can suppress abuse of adrenocortical hormone ointment or non-steroidal
ointment and can basically protect infants from skin diseases related to diaper rash.

10

CLAIMS

1. An herb medicine composition to be contained in sanitary materials for infants, which comprises *Sophorae flavescens*.

5 2. The composition in Claim 1, which further comprises one or more component selected from a group consisting of *Phellodendri Cortex*, *Artemisia Folia*, *Dictamnus alpus* and alum, wherein the content of each component based on total dried weight of the composition is 20-98% by weight for *Sophorae flavescens*, 2-50% by weight for *Phellodendri Cortex*, 2-30% by weight for *Artemisia folis*, 1-35% by weight for
10 *Dictamnus alpus* and 10-40% by weight for alum.

3. The composition in Claim 2, which comprises *Sophorae flavescens*, *Phellodendri cortex*, *Artemisia Folia*, *Dictamnus alpus* and alum all.

4. The composition in any one of Claims 1 to 3, which is in a form selected from powder, extract and infusion.

15 5. A diaper on which the herb medicine composition according to any one of Claims 1 to 3 is applied.


6. A diaper to which a primary pad prepared by mixing the herb medicine composition according to any one of Claims 1 to 3 with natural pulp, is applied.

7. The diaper in Claim 5 or 6, wherein a supplementary pad for absorption
20 stimulation is applied.

8. The diaper in Claim 7, wherein the supplementary pad for absorption stimulation comprises *Discorea Rhizoma*.

9. A wet tissue where the herb medicine composition for sanitary materials according to any one of Claims 1 to 3, is applied.


Fig. 1



THIS PAGE BLANK (USPTO)

2/2

Fig. 2



THIS PAGE BLANK (USPTO,

INTERNATIONAL SEARCH REPORT

International application No.

PCT/KR00/00752

A. CLASSIFICATION OF SUBJECT MATTER

IPC7 A61L 15/44

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7 A47K 10/16, A61F 13/15, A61L 15/10

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

KR 97-32901 A (LG CHEMICAL LTD) 22 JULY 1997

KR 98-76051 A (MIN. KWANG-YUL) 16 NOVEMBER 1998. KR 98-82895 A (LG CHEMICAL LTD) 05 DECEMBER 1998

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X Y	KR 98-82895 A (LG CHEMICAL LTD) 05 DECEMBER 1998 see claim 1	1
Y	KR 97-32901 A (LG CHEMICAL LTD) 22 JULY 1997 see claim 1	1-9
Y	KR 98-76051 A (MIN. KWANG-YUL) 16 NOVEMBER 1998 see abstract	1-9

☐ Further documents are listed in the continuation of Box C.

☐ See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

24 OCTOBER 2000 (24.10.2000)

Date of mailing of the international search report

25 OCTOBER 2000 (25.10.2000)

Name and mailing address of the ISA/KR

Korean Industrial Property Office
Government Complex-Taejon, Dunsan-dong, So-ku, Taejon
Metropolitan City 302-701, Republic of Korea

Facsimile No. 82-42-472-7140

Authorized officer

KIM, Seung Soo

Telephone No. 82-42-481-5581



~~THIS PAGE BLANK (USPTO)~~

THIS PAGE BLANK (USPTO)